


We claim

1. An alkoxylate mixture comprising

0.1 to 99.9% by weight of at least one alkoxylate of the formula (I)



where

A is ethyleneoxy,

B is C₃-C₁₀-alkyleneoxy or mixtures thereof,


where groups A and B may be present randomly distributed, alternately or in the form of two or more blocks in any order,

n is an integer in the range from 8 to 11,

x is a number in the range from 1 to 20,

y is a number in the range from 0 to 10, and

0.1 to 99.9% by weight of at least one alkoxylate of the formula (II)



where

A is ethyleneoxy,

B is C₃-C₁₀-alkyleneoxy or mixtures thereof,

where groups A and B may be present randomly distributed, alternately or in the form of two or more blocks in any order,

m is an integer in the range from 12 to 24,

v is a number in the range from 1 to 50,

w is a number in the range from 0 to 10.

5

2. A mixture as claimed in claim 1, wherein, in the alkoxylate of the formula (I), n has the value 10.

10

3. A mixture as claimed in claim 2, wherein, in the alkoxylate of the formula (I), $C_{10}H_{21}$ has the meaning $C_5H_{11}CH(C_3H_7)CH_2$.

4. A mixture as claimed in claim 3, wherein, in the alkoxylate of the formula (I),

15

70 to 99% by weight of alkoxylates A1, in which C_5H_{11} has the meaning n- C_5H_{11} , and

1 to 30% by weight of alkoxylates A2, in which C_5H_{11} has the meaning $C_2H_5CH(CH_3)CH_2$ and/or $CH_3CH(CH_3)CH_2CH_2$,

20

are present in the mixture.

5. A mixture as claimed in any of claims 1 to 4, wherein, in the alkoxylate of the formula (II), m is an integer in the range from 12 to 18.

25

6. A mixture as claimed in any of claims 1 to 5, wherein, in the alkoxylate of the formula (I), x is a number in the range from 3 to 12 and y has the value 0, and in the general formula (II), v is a number in the range from 3 to 15 and w has the value 0.

30

7. A process for the preparation of alkoxylate mixtures as claimed in any of claims 1 to 6, which comprises reacting alkanols of the formula $C_nH_{2n+1}OH$ and $C_mH_{2m+1}OH$ with the given meaning for n and m with C_{2-5} -alkylene oxides under alkoxylation conditions, and mixing them together before or after alkoxylation or after partial alkoxylation, wherein the alkoxylation maybe conducted in the presence of a double metal cyanide compound as catalyst.

35

8. A detergent or cleaner comprising an alkoxylate mixture as claimed in any of claims 1 to 6.

**THE FOLLOWING ARE THE ENGLISH TRANSLATION
OF ANNEXES TO THE INTERNATIONAL PRELIMINARY
EXAMINATION REPORT (ARTICLE 34):**

Amended Sheets (Pages 36 and 37)